

NCP Exclusive Remote Access Client

Release Notes



Service release: 12.11 r48297
Date: August 2020

Prerequisites

Operating System Support

The following Microsoft Operating Systems are supported with this release:

- Windows 10, 32/64 bit (up to and including version 2004)
- Windows 8.x, 32/64 bit
- Windows 7, 32/64 bit

VPN gateway

Juniper SRX Series

Prerequisites for Updating via Exclusive Remote Access Management

To update the client software the following plugins are required:

- NCP Exclusive Management: Version 5.30 or newer
- NCP Management Console: Version 5.30 or newer
- License Plugin: Version 12.11
- Client Configuration Plugin: Version 12.11
- Firewall Plug-in: Version 12.11

Before updating to version 12, we recommend checking the client version already installed on the user computer in the case of a rollout via SEM. If the version number is version 11.14 or above, the update to version 12 can be carried out without further measures. If the client version is older, it is strongly recommended to first distribute the update client version 6.01 via SEM. This will place it first in the software update list. Furthermore, the notes under **New Directory Structure must be observed.**

1. New Features and Enhancements

Selection of Certificate for 802.1x Authentication via Wi-Fi

Within the Wi-Fi configuration of the NCP Secure client, certificates that are stored in the Windows Certificate Store can be selected via the "Select Certificate" button under Profiles/Encryption. This certificate is used for 802.1x authentication on a Wi-Fi network with a configured SSID.

Next Generation Network Access Technology



Parameter Lock Extended for Backing Up/Restoring Profile

The parameter lock for profile protection has been replaced by two new parameter locks. A distinction is now made between backing up and restoring a profile.

2. Improvements / Problems Resolved

Switch to TLS 1.2 for FND Negotiations

The negotiation with the NCP Friendly Net Detection Server now uses TLS 1.2. This the NCP Friendly Net Detection Server 3.01 or later.

IPv6 Prioritization for VPN Tunnel Endpoint DNS resolution

If the VPN tunnel endpoint is configured as a domain name, a DNS server can return an IPv6 as well as an IPv4 address. In this case, the NCP Secure Client first selects the IPv6 address. If the connection setup fails, the IPv4 address is then attempted. The same procedure applies to the selection of a gateway in the load balancing procedure.

Execution of (dis)connect.bat Batch File During Connection Setup/Disconnection

The batch file (dis)connect.bat was not executed. This issue has been resolved.

Username and Password Prompt not Displayed when Connecting

If the VPN username or password is not entered in the client configuration when using IKEv1/XAUTH, a separate username and password prompt appears when setting up the connection. This prompt was not displayed when using IKEv2/EAP. This issue has been resolved.

Reading %username% for the ID of the Local Identity

Similar to entering the environment variable %username% for the VPN username, this entry can now also be made in the ID of the local identity. When the client GUI reads the configuration for the first time, the corresponding value of %username% is set in the configuration. The %ncpusername% entry causes the corresponding value of %username% to be read each time the client GUI is started.

Display of Available Wi-Fi SSIDs

Available Wi-Fi SSIDs were not fully displayed in the Wi-Fi configuration of the NCP Secure client. This issue has been resolved.

UI Optimization for Advanced Log Settings

Optimization of OTP Token

NCP Exclusive Remote Access Client

Release Notes



Optimization of Logon Options

If the NCP Secure Client was installed outside the c:\Program directory, the NCP Credential Provider was not displayed correctly during Windows login. This issue has been resolved.

Display of Connection Information

After disconnecting a VPN connection and reconnecting, the displayed IP addresses were not updated. This issue has been resolved.

Optimization of FND detection for Two Active LAN adapters

Loading Initial Configuration

When reading in the initial configuration from NCP Exclusive Remote Access Management, the client GUI may not have been displayed correctly. This issue has been resolved.

Software Update via NCP Exclusive Remote Access Management

When updating the software via NCP Exclusive Remote Access Management, the download counter in NCP Exclusive Remote Access Management was not increased. This issue has been resolved.

Removal of Directory Selection for Firewall Log Files

Improved Compatibility with Gemplus USB Key Smart Card Readers

Issue Resolved for Certificates with Certificate Chains Greater than 8 kBytes

Troubleshooting the Search Path of a PKCS#11-DLL on Windows 10

Improved Compatibility with ReinerSCT cyberJack® Card Readers

Troubleshooting Support Wizard

When using the Support Wizard to collect the log files, the PKI log files were missing. This issue has been resolved.

Troubleshooting License Handling

In rare cases, the NCP license file may have become corrupted. The following error message was displayed: "Could not read license data". This issue has been resolved.

Updated Error Message Displayed if the VPN Gateway is not Reachable

NCP Exclusive Remote Access Client

Release Notes



Issues Resolved within Friendly Net Detection

After a new IP address was assigned by the DHCP server due to expiry of the DHCP Lease Time, the Friendly Net Detection did not function correctly. This issue has been resolved.

Issues Resolved within Split Tunneling configuration

3. Known Issues

Temporary Home Zone

If two network adapters are available, the Home Zone will only be forgotten on one adapter if the "Only set Home Zone temporarily" option is set.

NCP Exclusive Remote Access Client

Release Notes



Service release: 12.00 r45109

Date: August 2019

Prerequisites

Operating System Support

The following Microsoft Operating Systems are supported with this release:

- Windows 10, 32/64 bit (up to and including version 1909)
- Windows 8.x, 32/64 bit
- Windows 7, 32/64 bit

VPN gateway

Juniper SRX Series

Prerequisites for Updating via Exclusive Remote Access Management

To update the client software the following plugins are required:

- NCP Exclusive Management: Version 5.00 or newer
- NCP Management Console: Version 5.00 or newer
- License Plugin: Version 12.00
- Client Configuration Plugin: Version 12.00
- Firewall Plug-in: Version 12.00

Before updating to version 12, we recommend checking the client version already installed on the user computer in the case of a rollout via SEM. If the version number is version 11.14 or above, the update to version 12 can be carried out without further measures. If the client version is older, it is strongly recommended to first distribute the update client version 6.01 via SEM. This will place it first in the software update list. Furthermore, the notes under **New Directory Structure must be observed.**

1. New Features and Enhancements

Quality of Service

Outgoing data from the client can be prioritized within the VPN tunnel. The total outgoing bandwidth must be entered in the QoS configuration for this purpose. The configured total bandwidth is static. The QoS feature is therefore only conditionally suitable for use in the mobile environment.

Data can be prioritized according to their origin by .exe file name (case sensitive) or directory (without subdirectories). These data sources can be grouped and each group can be assigned a minimum

Next Generation Network Access Technology

NCP Exclusive Remote Access Client

Release Notes



bandwidth. Outgoing data that is not assigned to a group are limited according to the remaining bandwidth. If a group is inactive, the remaining bandwidth is increased by the bandwidth that would have been allocated to the inactive group. The outgoing bandwidth allocated for the configured groups can be viewed under the menu item Connection/Connection Info/Quality of Service.

Temporary Home Zone

The option "Only set Home Zone temporarily" was added. Previously, the NCP Exclusive Remote Access Client recognized the Home Zone after it had been set once. If the new option is set, the Home Zone is forgotten after restart, standby or change of connection medium and must be enabled again if necessary.

IPv4 / IPv6 Dual Stack Support

Both the IPv4 and IPv6 protocols are supported within the VPN tunnel. Split tunneling can be configured separately for IPv4 and IPv6.

Enhanced Connection Management

The connection management of the NCP Exclusive Remote Access Client has been extended by two connection options:

"Disable mobile network when LAN cable is connected" and

"Disable mobile network when &Wi-Fi connection is established"

Enhancements to the Support Assistant

From the current version, the Support Assistant always collects all available log files for forwarding to Support. The files `setup.msilog`, `ncpdrvinst.log`, `ncpdrvupd.log` and `rwsrsu.log` have been added to the support wizard.

2. Improvements / Problems Resolved

New Directory Structure

For security reasons and compatibility with Windows, the directory structure of the NCP Exclusive Remote Access Client has been changed. The following directories that were previously in the installation directory under `Programs\NCP\Exclusive Remote Access Client\` have been migrated to `ProgramData\NCP\Exclusive Remote Access Client\`:
`arls`, `cacerts`, `certs`, `config`, `crls`, `CustomBrandingOption`, `data`,
`hotspot`, `log`, `statistics`

Next Generation Network Access Technology

NCP Exclusive Remote Access Client

Release Notes



These are configuration files, certificates or log files. Binaries or resources remain in `Programs\...`. During the update process, the new directory structure is created automatically and the configuration is transferred accordingly. Configuration paths within the certificate configuration that contain the variable `%InstallDir%` are converted to paths with `%CertDir%`. `%CertDir%` refers to the path `C:\ProgramData\NCP\Exclusive Remote Access Client\certs`.

Note: The configuration entry `%CertDir%\client1.p12` is equivalent to `client1.p12`.

Please note when using the NCP Exclusive Management:

The NCP Exclusive Remote Access Client can be upgraded to version 12.x as before. The local configuration is automatically converted during the update process. When using NCP Exclusive Management to assign new configurations, the paths in the configurations or templates to be assigned must be modified before distribution. Likewise, for different client versions, a distinction must be made between configurations from version 12.x and older versions. The use of absolute paths is not recommended by NCP. For more information regarding the new directory structure please read the `Read_Me.pdf` file.

Changes to Firewall Function after the End of the Trial Period

After installation and the start of the trial period, NCP Exclusive Remote Access Client has full functionality for 30 days. At the end of the trial period, VPN connections and the firewall feature were disabled.

This behavior has now been changed. At the end of the trial period, the firewall now continues to function and the computer is still protected by the firewall.

Enhanced Connection Status Information

The Connection Information status window displays the algorithms negotiated for the current VPN connection within the IKE negotiation and IPsec protocol.

Removal of Obsolete Configuration Parameters

The following configuration parameters have been removed from the configuration because they are now obsolete:

| | |
|---------------------|--|
| Internet connection | ISDN |
| Line management | Maintain IP during manual connection setup |
| Line management | Dynamic link |
| Line management | Threshold value for link activation |
| Callback | |
| Incoming calls | |
| Link settings | Logon to network |

Next Generation Network Access Technology

NCP Exclusive Remote Access Client

Release Notes



| | |
|------------------------|---------------------------------------|
| Link settings | MAC address |
| DNS management | 1st and 2nd WINS server |
| Advanced IPsec options | Destination address for IPsec gateway |
| Link firewall | Can only be configured in expert mode |

Support for Gemalto IDPrime 830 SmartCard

The PIN handling for Gemalto IDPrime 830 SmartCards configured via Microsoft Smart Card Key Storage Provider (CSP) has been optimized.

Optimization of the NCP Filter Driver

The data throughput of the NCP filter driver has been optimized.

Optimization of Logon via time-based OTP

GUI Scaling

Some configuration dialogs were not displayed correctly if GUI scaling was enabled. This issue has been resolved.

INIT Rollout Process

The INIT user authentication using the environment variables %USERNAME% for the user name and %HOMEPATH% for the authentication code was not possible from Windows 10 Version 1803. This issue has been resolved.

Parameter Lock in the Wi-Fi Manager

The option "Connect automatically" can now be blocked by the parameter lock, i.e. it cannot be deactivated by manually disconnecting a Wi-Fi connection if the parameter lock is set.

Revised Message after Trial Expiration

The message "*Trial version has expired. Please license or uninstall the software.*" has been replaced by the following message: "*The installation of the Exclusive Remote Access Client has not yet been completed. Please establish a VPN connection to your company's network to complete the process.*"

3. Known Issues

Temporary Home Zone

If two network adapters are available, the Home Zone will only be forgotten on one adapter if the "Only set Home Zone temporarily" option is set.

Next Generation Network Access Technology

NCP Exclusive Remote Access Client

Release Notes



SMS Center: Cannot Receive SMS

The NCP Exclusive Remote Access Client offers the option of sending and receiving SMS messages if mobile phone hardware is available. Receiving SMS does not work in this client version.

4. Getting Help for the NCP Exclusive Remote Access Client

To ensure that you always have the latest information about NCP's products, always check the NCP website. More information on NCP Exclusive Remote Access Client is available on the Internet at:

<https://www.ncp-e.com/en/exclusive-remote-access-solution/vpn-client/>



5. Features

Operating Systems

Microsoft Windows (32 and 64 bit): Windows 10, Windows 8.x, Windows 7
x86 or x86-64 platform

Juniper SRX/vSRX OS

Junos OS 15.1X49-D80 or higher is required

Security Features

The Enterprise Client supports all major IPsec standards in accordance with RFC

Personal Firewall

Firewall Configuration*

Stateful Packet Inspection;
IP-NAT (Network Address Translation);
Friendly Net Detection (Firewall rules adapted automatically if the connected network is recognized based on its IP subnet address, the DHCP server's MAC address or an NCP FND Server*);
Start FND dependent action;
Secure hotspot logon;
Home Zone;
Differentiated filter rules relative to: protocols, ports, applications and addresses, LAN adapter protection, IPv4 and IPv6 support, Central administration

VPN Bypass

The VPN Bypass function allows the administrator to define applications which can communicate over the Internet directly despite disabling split tunneling on the VPN connection. It is also possible to define which domains or target addresses can bypass the VPN tunnel.

Virtual Private Networking

IPsec (Layer 3 Tunneling), RFC-conformant; IPsec proposals can be determined through the IPsec gateway (IKEv1/IKEv2, IPsec Phase 2);
Event log;
communication only in the tunnel;
MTU size fragmentation and reassembly, DPD, NAT-Traversal (NAT-T);
IPsec tunnel mode

Encryption

Symmetric processes: AES 128, 192, 256 bits; Blowfish 128, 448 bits; Triple-DES 112, 168 bits;
Dynamic processes for key exchange: RSA to 2048 bits; seamless rekeying (PFS);
Hash algorithms: SHA-1, SHA-256, SHA384, SHA-512, MD5, DH group 1, 2, 5, 14-21, 25-30

FIPS Inside

The IPsec Client incorporates cryptographic algorithms conformant with the FIPS standard. The embedded cryptographic module incorporating these algorithms has been validated as conformant to FIPS 140-2 (certificate #1747).
FIPS conformance will always be maintained when any of the following algorithms are used for establishment and encryption of the IPsec connection:

- DH Group: Group 2 or higher (DH starting from a length of 1024 Bit)
- Hash Algorithms: SHA1, SHA 256, SHA 384, or SHA 512 Bit
- Encryption Algorithms: AES with 128, 192 and 256 Bit or Triple DES

NCP Exclusive Remote Access Client

Release Notes



Authentication Processes

IKE (Aggressive Mode and Main Mode, Quick Mode);
XAUTH for extended user authentication; IKEv2;
IKE config. mode for dynamic assignment of a virtual address from the internal address pool (private IP);
PFS;
PAP, CHAP, MS CHAP V.2;
IEEE 802.1x: EAP-MD5 (Extensible Authentication Protocol): Extended authentication relative to switches and access points (Layer 2);
EAP-TLS (Extensible Authentication Protocol - Transport Layer Security): Extended authentication relative to switches and access points on the basis of certificates (Layer 2);
Support of certificates in a PKI: Soft certificates, smart cards, and USB tokens; Multi Certificate Configurations;
Pre-shared secrets, one-time passwords, and challenge response systems;
RSA SecurID ready

Strong Authentication

X.509 v.3 Standard; biometric Authentication (Windows 8.1 or higher)
PKCS#11 interface for encryption tokens (USB and smart cards);
smart card operating systems: TCOS 1.2, 2.0 and 3.0 Signature Card Version 2.0 Release 1, Atos CardOS V5.3 QES, V1.0;
Smart card reader interfaces: PC/SC, CT-API, Microsoft CSP;
PKCS#12 interface for private keys in soft certificates;
CSP for the use of user certificates in the windows certificate store
CSP for the use of smart cards via vendor API
PIN policy; administrative specification for PIN entry in any level of complexity;
revocation: EPRL (End-entity Public-key Certificate Revocation List, formerly CRL), CARL (Certification Authority Revocation List, formerly ARL), OCSP

PKI Enrollment*

CMP* (Certificate Management Protocol)

Networking Features

LAN emulation: Ethernet adapter with NDIS interface, full WLAN (Wireless Local Area Network) and WWAN (Wireless Wide Area Network, Mobile Broadband) support

Network Protocol

IPv4 / IPv6 Dual Stack

Dialers

NCP Internet Connector or Microsoft RAS Dialer (for ISP dial-in via dial-in script)

VPN Path Finder

NCP Path Finder Technology: Fallback IPsec/ HTTPS (port 443) if port 500 respectively UDP encapsulation is not possible

IP Address Allocation

DHCP (Dynamic Host Control Protocol), DNS: Dial-in to the central gateway with changing public IP addresses through IP address query via DNS server

Communication Media

Internet, LAN, Wi-Fi, GSM (incl. HSCSD), GPRS, 3G, LTE, HSDPA, PSTN

Next Generation Network Access Technology

NCP Exclusive Remote Access Client

Release Notes



| | |
|---|---|
| Line Management | DPD with configurable time interval; Short Hold Mode; Wi-Fi roaming (handover); Timeout (controlled by time and charges); Budget manager (administration of connection time and/or –volume for GPRS/ 3G and Wi-Fi, in case of GPRS/ 3G separated administration of roaming abroad) Connection Modes: automatic, manual, variable (reconnection dependent on how previous disconnect invoked) |
| APN from SIM Card | APN (Access Point Name) defines access point of a mobile data connection at a provider. If user changes provider, system automatically uses APN data from SIM card to configure Exclusive Remote Access Client |
| Data Compression | IPCOMP (lzs), deflate (only for IKEv1) |
| Quality of Service | Prioritization of configured outgoing bandwidth in VPN tunnel. |
| Additional Features | Automatic media detection; UDP encapsulation, WISPr-support, IPsec-Roaming, Wi-Fi roaming, Split Tunneling |
| Point-to-Point Protocols | PPP over GSM, PPP over Ethernet; MLP, CCP, CHAP |
| Internet Society RFCs and Drafts | RFC 2401 –2409 (IPsec), RFC 3947 (NAT-T negotiations), RFC 3948 (UDP encapsulation), IP security architecture, ESP, ISAKMP/Oakley, IKE, XAUTH, IKECFG, DPD, NAT Traversal (NAT-T), UDP encapsulation, IPCOMP; RFC 7427: IKEv2-Authentication (Padding-method) |
| Client Monitor Intuitive, Graphical User Interface | Multilingual (English, German); Intuitive operation; Configuration, Connection Management and Monitoring, Connection Statistics, Log-files, Internet availability test, Trace Tool for error diagnosis; Traffic light icon for display of connection status; Integrated support of Mobile Connect Cards, embedded); Client Monitor can be tailored to include company name or support information; Password protected configuration management and profile management, configuration parameter lock |
| Update with SEM | To update the client software the management server version 5.30 and the following plugins are required: <ul style="list-style-type: none">▪ License Plugin: Version 12.11▪ Client Configuration Plugin: Version 12.11▪ Firewall Plug-in: Version 12.11▪ Update Client: Version 7.01 |

NCP Exclusive Remote Access Client Release Notes



*) If you wish to download NCP's FND server as an add-on, please click here:

<https://www.ncp-e.com/en/resources/download-vpn-client.html>

More information: <https://www.ncp-e.com/en/exclusive-remote-access-solution/vpn-client/>



NCP PATH FINDER

Next Generation Network Access Technology